

White[®]
ROSE



Strong Block, Safe Passage

Industrial Doors



Industrial Doors



White Rose

Strong Block, Safe Passage

White Rose took its place among the world actors in the automation sector with the products it developed constantly and the projects it realized.

In the globalized economy doing only your work is no longer Sufficient. In the globalized world you have to be an expert in your sector. You must both do your work perfectly and also gain your sector brand new innovative products. You must organize partners who will be happy to work with you and become solution partners. This can only be organized in institutions with workers kneaded with science-technology culture that invest money in research and development. With this important target, we are giving direction to the future of automation also by producing solutions to the requirements of this date with our efforts. Therefore, White Rose is holding the title of shining star of the sector in its hands with an experience of 25 years.

To good days together.....

Garage Doors



Industrial Doors



Fast PVC Doors



Quality:

Our products manufactured in the world standards, along with maintaining its existing quality is continuously developing it with the efforts of our Research and Development team. It possesses ISO 9001-2008, TÜV CERT, TSE-HYB, and CE certificates as Quality Certificates.



Garage Doors

Door systems possessing ideal design with esthetic appearance and silent operation for private closed garages provides sound, sealing, cold and heat insulation with its 42 mm. thick polyurethane filled panel.


Use with comfort and safely

Provides comfortable and safe use convenience in manual usage also with the torsion spring balancing the weight. Possesses the safety photocell and jam perceiving sensitivity preventing the closure of the door in case there is an object under the door.




You have the control

Alternatives such as remote control, mobile phone, vehicle far lights and card readers are being provided for your comfort. Although original color is white different color choices are available.




Modern Lines

Garage doors in harmonic design with the structure of your residence are being provided for protecting automobiles, which is one of the most important personal investments, against adverse weather conditions and theft. The remote controlled doors along with modern and esthetic appearance, can operate even during power failures with battery system.



Low bedding



Standard bedding

Strong

Garage Door Motors



Strong garage doors have been brought into a state of concept to respond to expectations directed towards all modern garage door systems. White Rose automatic garage door motors have been designed to be equipped with developed technologies.









Flexible alternatives

Doors with up to 7 meter width , 6 meter height can be manufactured with bedding alternatives in harmony with the structure of the building. We have heat insulated, enlightening window alternatives. Manufacturing can be made personnel service door if so desired.

Sound insulated panels

All accessories on our products are galvanized. Panels filled with polyurethane heat insulation, sealing and sound insulated are being used.





Air and dust sealing

Interdepartmental places in our industrial doors have been sealed against air and dust by means of flexible PVC cords used in bottom, top and side departments.




Strong and Safe


Steel reinforcement plates increasing the durability of the doors against slams and winds are available in our products. By means of pneumatic system, in case of slamming to any other object the stopping and raising up of the door is provided.



NL Standard Bedding




HL High Bedding



VL Guillotine Bedding

Industrial Doors, Technical Information




Technical Features			
Panel : Secur Pan 495 /42			
Thickness: 42 mm		K. Total: 0,78 W/m²K	
Weight			
Steel		Aluminum	
Kg/m	Kg/m²	Kg/m	Kg/m²
5,56	11,12	3,21	6,42
Tolerance			
Thickness: +2	Length: +5	Slope: +2	Align : +2
Fire Reaction Class		Acoustic Absorption	
0-2		R W(C,Ctr)=23(-2;-3) dB	



Technical Features			
Panel : Secur Pan 615 /42			
Thickness: 42 mm		K. Total: 0,78 W/m²K	
Weight			
Steel		Aluminum	
Kg/m	Kg/m²	Kg/m	Kg/m²
6,55	10,74	3,74	6,11
Tolerance			
Thickness: +2	Length: +5	Slope: +2	Align : +2
Fire Reaction Class		Acoustic Absorption	
0-2		R W(C,Ctr)=23(-2;-3) dB	

Industrial door system provides insulation by means of 4 cm thick polyurethane material available inside the panels. Your energy cost is decreased to minimum since it preserves the medium air. If service door is made, since pedestrian passage is provided before the industrial door is fully opened, the operation life of the motor is prolonged and the energy loss is decreased.





Fast PVC canvas doors

High speed PVC doors are products of latest technology that can be used in every structure where the entry-exit traffic is intense with its superior design. It is a functional door solution in medium where fast access and loss of time and energy is required.

Fast PVC Doors

The metal components of the PVC Canvas Doors are manufactured of galvanized steel. Functional control unit possesses ; pedestrian passage, separate open separate close and push button features.



It is very successful solution at locations where there is intensive vehicle traffic and where the interior medium is desired to be effected from exterior medium at minimum level.








Industrial Doors



Garage Doors

Garage Doors





Signal Lamp



Safety Photocell



You also join the White Rose family



You also join this family



White Rose which is one of the firms who have a say in the world of automation sector is sharing its 25 years of experience and expertise through its active dealers in the region across the world. Let us proceed to the future on the road enlightened by our past. You also join the White Rose family.

Please reach us to cooperate with White Rose who has different dealership models in line with requirements and and potential of the market. From over the world www.whiterose.com.tr and from all over Turkey (+90) 444 26 14

White[®]
ROSE



+90 444 26 14

www.whiterose.com.tr

Main Factory

Organize Sanayi Bölgesi 9. Cad. No:1

KARAMAN

Tel: +90 (338) - 224 13 60 pbx

Fax: +90 (338) 224 14 46

whiterose@whiterose.com.tr

İstanbul

Emek Mahallesi Nato Yolu Cad. No:317

SANCAKTEPE-İSTANBUL

Tel: +90 (216) - 527 90 90 pbx

Fax: +90 (216) - 527 90 87

istanbul@whiterose.com.tr

medija istanbul
www.medijaistanbul.com

